REPORT NUMBER: JKTT16003185

Style Name : BTS COAT, BTS MINI COAT

Style No. : XG0XG00005, XT0XT00001

Season : FA 16

Sample : A

ACCESSORY





Applicant : PT. WAHANA KREASI HASIL KENCANA

JL.ISKANDAR MUDA NO.83, SEWAN RAWA KUCING,

TANGERANG, 15129, INDONESIA

ATTN : SUTAN HARAHAP

RSL Test Report

BUYER : TOMMY HILFIGER(Europe order)

DIVISION : TH Outlet/Kids

ACCESSORY DESC. : FOUR (4) TYPES OF SUBMITTED SPRING SNAP FOR

PLACKET SAMPLE, MARKED AS:

(I) METAL CAP
(II) METAL STUD
(III) METAL SOCKET
(IV) METAL POST

WITH TESTING COMPONENT :

(A) METAL CAP(B) METAL STUD(C) METAL SOCKET(D) METAL POST

(E) COMPOSITE OF SAMPLE (A)/(B)
(F) COMPOSITE OF SAMPLE (C)/(D)

TRIM CODE : 002216

COLOUR NAME & CODE : (A)METAL CAP , (B)METAL STUD , (C)METAL SOCKET

, (D)METAL POST , (E)COMPOSITE OF SAMPLE (A) AND SAMPLE (B) , (F)COMPOSITE OF SAMPLE (C) AND

SAMPLE (D)

SIZE : 20 L

STYLE NO. : XG0XG00005, XT0XT00001
STYLE NAME : BTS COAT, BTS MINI COAT

SEASON : FA 16 SAMPLE TESTING FOR : BULK

Care Label

DATE RECEIVED : Feb 23,2016

DATE TEST STARTED : Feb 23,2016

Authorized By

FOR INTERTEK INDONESIA [JAKARTA]

NOVITA PURBA

TEXTILE LABORATORY MANAGER



REF. AGENT: PT HOLLIT INTERNATIONAL

PT HOLLIT INTERNATIONAL CONTACT PERSON: Ms.

CRISTINA

AGE RANGE: 74 MONTHS - 16 YEARS SUPPLIER NAME: WAHANA KREASI

PO No. 4500106578, 6800038761, 4500108061,

6800038762

NUMBER OF RETEST

CONCLUSION:

	(A)	(B)	(C)	(D)
NICKEL SPOT TEST	М	M	M	M
	(E)	(F)		
TOTAL LEAD (Pb) CONTENT IN NON-SURFACE COATING	M	M		
MATERIALS				
TOTAL LEAD (Pb) CONTENT IN SURFACE COATING	N/A1	N/A1		
FREE FORMALDEHYDE CONTENT	N/A1	N/A1		
DETECTION OF AMINES IN DYESTUFF	N/A1	N/A1		
PHTHALATE CONTENT TEST	N/A1	N/A1		
CADMIUM CONTENT	M	M		

- M = MEETS BUYER'S REQUIREMENT F = BELOW BUYER'S REQUIREMENT
- # = NO SPECIFIED REQUIREMENT NA = NOT APPLICABLE
- * = REFER TO ATTACHED RESULTS FOR DETAILS/SUBJECT TO BUYER ACCEPTANCE,
- M^* = THE SAMPLE CONFORMS TO THE DECLARED FIBER CONTENT
- F* = THE SAMPLE DOES NOT CONFORM TO THE DECLARED FIBER CONTENT
- M1 = THE SAMPLE CONFORM TO THE DECLARED CONSTRUCTION
- M# = MEETS THE SUBMITTED REQUIREMENT
- F# = FAILS TO MEET THE SUBMITTED REQUIREMENT
- M2 = CONFORMS WITHIN ±5% TOLERANCE TO THE DECLARED FABRIC WEIGHT
- F2 = THE SAMPLE DOES NOT CONFORM WITHIN $\pm 5\%$ TOLERANCE TO THE DECLARED FABRIC WEIGHT

NOTE

THE TESTED AND UNTESTED SPECIMENS WERE RETURNED TO FTC TOGETHER WITH THIS REPORT.

N/A1 = THE SUBMITTED SAMPLES ARE NOT APPLICABLE TO TOTAL LEAD (Pb) CONTENT IN SURFACE COATING, FREE FORMALDEHYDE CONTENT, DETECTION OF AMINES IN DYESTUFF AND PHTHALATE CONTENT TESTS.



TEST CONDUCTED (AS REQUESTED BY THE APPLICANT)

1. TOTAL LEAD (Pb) CONTENT IN NON-SURFACE COATING MATERIALS

AS PER STANDARD OPERATING PROCEDURE FOR DETERMINING TOTAL LEAD (Pb), TEST METHODS CPSC-CH-E1002-08 AND/OR CPSC-CH-E1001-08 WAS USED AND TOTAL LEAD CONTENT WAS DETERMINED BY INDUCTELY COUPLED ARGON PLASMA SPECTROMETRY.

RESULT IN PPM

(E) (F) <u>Requirement</u>
<10 <10 100 PPM
(0.01%)

REMARK:

< = LESS THAN

DETECTION LIMIT = 10 PPM

PPM = PARTS PER MILLION = MG/KG

TESTING COMPONENTS :

(E) COMPOSITE OF SAMPLE (A)/(B)

(F) COMPOSITE OF SAMPLE (C)/(D)

2. TOTAL LEAD (Pb) CONTENT IN SURFACE COATING

AS PER STANDARD OPERATING PROCEDURE FOR DETERMINING LEAD (Pb) IN PAINT AND OTHER SIMILAR SURFACE COATINGS, TEST METHOD CPSC-CH-E1003-09.1 WAS USED AND TOTAL LEAD CONTENT WAS DETERMINED BY INDUCTIVELY COUPLED ARGON PLASMA SPECTROMETRY.

RESULT IN PPM

(E) (F) <u>Requirement</u>

N/A N/A 90 PPM (0.009%) MAX

REMARK:

N/A = NOT APPLICABLE

TESTING COMPONENTS :

(E) COMPOSITE OF SAMPLE (A)/(B)

(F) COMPOSITE OF SAMPLE (C)/(D)

3. FREE FORMALDEHYDE CONTENT

JIS L1041 - 1983, SECTION 5.3, ACETYLACETONE METHOD, 2B

FORMALDEHYDE (E) (F) Requirement N/A N/A 75 PPM

REMARK:

N/A = NOT APPLICABLE

The report shall not be reproduced wholly or in parts without written approval of the laboratory.

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Terms and Conditions.

For the complete term and condition, please visit: http://www.intertek.com/terms/



4. DETECTION OF AMINES IN DYESTUFF

(TEXTILE METHOD (EN 14362-1: 2003) BY GAS CHROMATOGRAPHIC - MASS SPECTROMETRIC (GC-MS) AND HIGH PERFORMANCE LIQUID CHROMATOGRAPHIC (HPLC) ANALYSIS.

(E)

Forb:	<u>idden Amines</u>	<u>Cas No</u>	<u>Result</u>
1.	4-AMINODIPHENYL	92-67-1	N/A
2.	BENZIDINE	92-87-5	N/A
3.	4-CHLORO-O-TOLUIDINE	95-69-2	N/A
4.	2-NAPHTHYLAMINE	91-59-8	N/A
5.	O-AMINOAZOTOLUENE	97-56-3	N/A
6.	2-AMINO-4-NITROTOLUENE	99-55-8	N/A
7.	P-CHLOROANILINE	106-47-8	N/A
8.	2,4-DIAMINOANISOLE	615-05-4	N/A
9.	4,4'-DIAMINODIPHENYLMETHANE	101-77-9	N/A
10.	3,3'-DICHLOROBENZIDINE	91-94-1	N/A
11.	3,3'-DIMETHOXYBENZIDINE	119-90-4	N/A
12.	3,3'-DIMETHYLBENZIDINE	119-93-7	N/A
13.	3,3'-DIMETHYL-4,4'-DIAMINODIPHENYLMETHANE	838-88-0	N/A
14.	P-CRESIDINE	120-71-8	N/A
15.	4,4'-METHYLENE-BIS(2-CHLOROANILINE)	101-14-4	N/A
16.	4,4'-OXYDIANILINE	101-80-4	N/A
17.	4,4'-THIODIANILINE	139-65-1	N/A
18.	O-TOLUIDINE	95-53-4	N/A
19.	2,4'-TOLUYLENEDIAMINE	95-80-7	N/A
20.	2,4,5'-TRIMETHYLANILINE	137-17-7	N/A
21.	O-ANISIDINE	90-04-0	N/A
22.	P-AMINOAZOBENZENE	60-09-3	N/A
23.	2,4-XYLIDINE	95-68-1	N/A
24.	2,6-XYLIDINE	87-62-7	N/A
(F)			
Forb:	<u>idden Amines</u>	<u>Cas No</u>	Result



1.	4-AMINODIPHENYL	92-67-1	N/A
2.	BENZIDINE	92-87-5	N/A
3.	4-CHLORO-O-TOLUIDINE	95-69-2	N/A
4.	2-NAPHTHYLAMINE	91-59-8	N/A
5.	O-AMINOAZOTOLUENE	97-56-3	N/A
6.	2-AMINO-4-NITROTOLUENE	99-55-8	N/A
7.	P-CHLOROANILINE	106-47-8	N/A
8.	2,4-DIAMINOANISOLE	615-05-4	N/A
9.	4,4'-DIAMINODIPHENYLMETHANE	101-77-9	N/A
10.	3,3'-DICHLOROBENZIDINE	91-94-1	N/A
11.	3,3'-DIMETHOXYBENZIDINE	119-90-4	N/A
12.	3,3'-DIMETHYLBENZIDINE	119-93-7	N/A
13.	3,3'-DIMETHYL-4,4'-DIAMINODIPHENYLMETHANE	838-88-0	N/A
14.	P-CRESIDINE	120-71-8	N/A
15.	4,4'-METHYLENE-BIS(2-CHLOROANILINE)	101-14-4	N/A
16.	4,4'-OXYDIANILINE	101-80-4	N/A
17.	4,4'-THIODIANILINE	139-65-1	N/A
18.	O-TOLUIDINE	95-53-4	N/A
19.	2,4'-TOLUYLENEDIAMINE	95-80-7	N/A
20.	2,4,5'-TRIMETHYLANILINE	137-17-7	N/A
21.	O-ANISIDINE	90-04-0	N/A
22.	P-AMINOAZOBENZENE	60-09-3	N/A
23.	2,4-XYLIDINE	95-68-1	N/A
24.	2,6-XYLIDINE	87-62-7	N/A

REMARK :.

N/A = NOT DETECTED

TESTING COMPONENTS :

- (E) COMPOSITE OF SAMPLE (A)/(B)
- (F) COMPOSITE OF SAMPLE (C)/(D)



5. PHTHALATE CONTENT TEST

WITH REFERENCE TO STANDARD OPERATING PROCEDURE FOR DETERMINING PHTHALATES, TEST METHOD CPSC-CH-E1001-09.3 WAS USED AND PHTHALATE CONTENT WAS DETERMINED BY GAS CHROMATOGRAPHIC-MASS SPECTROMETRIC (GC-MS) ANALYSIS.

RESULT IN % (W/W)

	(E)	(F)	<u>Requirement</u>
DIBUTYL PHTHALATE	N/A	N/A	0.1% MAX
(DBP)			(EACH
			COMPOUND)
DIETHYL HEXYL	N/A	N/A	
PHTHTLATE (DEHP)			
BENZYL BUTYL PHTHALATE	N/A	N/A	
(BBP)			
DI-(ISO-NONYL)	N/A	N/A	
PHTHALATE (DINP)			
DI-(N-OCTYL) PHTHALATE	N/A	N/A	
(DNOP)			
DI-(ISO-DECYL)	N/A	N/A	
PHTHALATE (DIDP) DIISOBUTYL PHTHALATE			
(DIBP)	N/A	N/A	
DI-n-HEXYLPHTHALATE	/-	/-	
(DnHP)	N/A	N/A	
(DIIIII)			

REMARK:

N/A = NOT APPLICABLE

DETECTION LIMIT = 0.005% (EACH COMPOUND)

TESTING COMPONENTS :

- (E) COMPOSITE OF SAMPLE (A)/(B)
- (F) COMPOSITE OF SAMPLE (C)/(D)

6. CADMIUM CONTENT

(AS PER BS EN 1122 (EN 1122), DETERMINATION BY ATOMIC ABSORPTION SPECTROPHOTOMETRIC (AAS) ANALYSIS)

RESULT (PPM)

(E)	(F)	<u>Requirement</u>
<10	<10	75 PPM

REMARK:

< = LESS THAN

DETECTION LIMIT = 10 PPM

PPM = PARTS PER MILLION = MG/KG

TESTING COMPONENTS :

- (E) COMPOSITE OF SAMPLE (A)/(B)
- (F) COMPOSITE OF SAMPLE (C)/(D)

The report shall not be reproduced wholly or in parts without written approval of the laboratory.

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Terms and Conditions.

For the complete term and condition, please visit: http://www.intertek.com/terms/



7. NICKEL SPOT TEST

(A) (B) (C) (D) Requirement

NEGATIVE NEGATIVE NEGATIVE

NEGATIVE

END OF THE TEST REPORT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at http://www.intertek.com/terms.